

Issued to:

RED SKY LIGHTING, LLC 9370 Pittsburgh Ave, RANCHO CUCAMONGA CA 91730-5557

This certificate confirms that representative samples of:

LIGHT-EMITTING-DIODE SURFACE-MOUNTED LUMINAIRES

See Addendum Page

Has been evaluated by UL LLC in accordance with Standard(s) for Safety:

[UL 1598 & CSA C22.2 No. 250.0-08 - Luminaires

UL 8750 - Light Emitting Diode (LED) Equipment for Use in Lighting Products

CSA-C22.2 No. 250.13 & CSA C22.2 No. 250.13-17- Light Emitting Diode (LED) Equipment for Lighting Applications]

Additional Information:

See UL Product iQ[®] at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Ser vices Procedure for ongoing surveillance provides authorization to apply the UL Mark.

David Piecuch

UL Mark Certification Program Owner

Certificate Number:

[E494316]

Report Reference:

E494316-20170717

Issue Date:

2025-APRIL-02

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

Certificate of Compliance

Certificate Number: E494316

Report Reference: E494316-20170717 Issue Date: 2025-APRIL-02

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Luminaires:

LNR2-30-100-277 followed by -27K, -3K, -4K, -5K, -57K, -65K, -RD, -GN, -BU or -AM. followed by BLANK or -HAR. followed by -H2 or -HS. followed by -CP or -DP. followed by - GRY, -BLK, -WHT or -BRZ. followed by -PND or -YKE.

LNR2-40-100-277 followed by -27K, -3K, -4K, -5K, -57K, -65K, -RD, -GN, -BU or -AM. followed by BLANK or -HAR. followed by -H2 or -HS. followed by -CP or -DP. followed by -GRY, -BLK, -WHT or -BRZ. followed by -PND or -YKE.

LNR2-40-347-480 followed by -27K, -3K, -4K, -5K, -57K, -65K, -RD, -GN, -BU or -AM. followed by BLANK or -HAR. followed by -H2 or -HS. followed by -CP or -DP. followed by -GRY, -BLK, -WHT or -BRZ. followed by -PND or -YKE.

LNR2-60-100-277 followed by -27K, -3K, -4K, -5K, -57K, -65K, -RD, -GN, -BU or -AM. followed by BLANK or -HAR. followed by -H2 or -HS. followed by -CP or -DP. followed by -GRY, -BLK, -WHT or -BRZ. followed by -PND or -YKE.

LNR2-60-347-480 followed by -27K, -3K, -4K, -5K, -57K, -65K, -RD, -GN, -BU or -AM. followed by BLANK or -HAR. followed by -H2 or -HS. followed by -CP or -DP. followed by -GRY, -BLK, -WHT or -BRZ. followed by -PND or -YKE.

LNR2-80-100-277 followed by -27K, -3K, -4K, -5K, -57K, -65K, -RD, -GN, -BU or -AM. followed by BLANK or -HAR. followed by -H2 or -HS. followed by -CP or -DP. followed by -GRY, -BLK, -WHT or -BRZ. followed by -PND or -YKE.

LNR2-80-347-480 followed by -27K, -3K, -4K, -5K, -57K, -65K, -RD, -GN, -BU or -AM. followed by BLANK or -HAR. followed by -H2 or -HS. followed by -CP or -DP. followed by -GRY, -BLK, -WHT or -BRZ. followed by -PND or -YKE.

