

Certificate of Compliance

Certificate Number:

E494316

Report Reference:

E494316-20170717

Issue Date:

2025-DEC-03

Issued to:

**Red Sky Lighting LLC
9370 Pittsburgh Ave
Rancho Cucamonga, CA 91730 United States**

This certificate confirms that representative samples of:

**Light-emitting-diode Surface-mounted Luminaires
See Addendum Page for models/product**

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

[See Addendum Page for standards]

Additional Information:

See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Certificate of Compliance

Certificate Number: E494316
Report Reference: E494316-20170717
Issue Date: 2025-DEC-03

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Standards:

UL 1598 & CSA C22.2 No. 250.0-08 , CSA C22.2 No. 250.0:21- Luminaires;
UL 8750 - Light Emitting Diode (LED) Equipment for Use in Lighting Products;
CSA-C22.2 No. 250.13 & CSA C22.2 No. 250.13-17- Light Emitting Diode (LED) Equipment for Lighting Applications.
CSA C22.2 No. 250.0 - Luminaires

Models:

LED Surface Mounted Luminaire,:

RND2-35-120-277 followed by -27K, -3K, -4K, -5K, -57K, -65K. followed by -60 or -120. followed by H2 or HS. followed by -CG, DG or -DLG. followed by -GRY, -BLK, -WHT or -BRZ. followed by -PND or -YKE

RND2-40-347-480 followed by -27K, -3K, -4K, -5K, -57K, -65K. followed by -60 or -120. followed by H2 or HS. followed by -CG, DG or -DLG. followed by -GRY, -BLK, -WHT or -BRZ. followed by -PND or -YKE.

RND2-55-120-277 followed by -27K, -3K, -4K, -5K, -57K, -65K. followed by -60 or -120. followed by H2 or HS. followed by -CG, DG or -DLG. followed by -GRY, -BLK, -WHT or -BRZ. followed by -PND or -YKE.

RND2-60-347-480 followed by -27K, -3K, -4K, -5K, -57K, -65K. followed by -60 or -120. followed by H2 or HS. followed by -CG, DG or -DLG. followed by -GRY, -BLK, -WHT or -BRZ. followed by -PND or -YKE.

RND2-65-120-277 followed by -27K, -3K, -4K, -5K, -57K, -65K. followed by -60 or -120. followed by H2 or HS. followed by -CG, DG or -DLG. followed by -GRY, -BLK, -WHT or -BRZ. followed by -PND or -YKE.

RND2-45-120-277 followed by -27K, -3K, -4K, -5K, -57K, -65K. followed by -60 or -120. followed by H2 or HS. followed by -CG, DG or -DLG. followed by -GRY, -BLK, -WHT or -BRZ. followed by -PND or -YKE.

LED Surface Mounted Luminaire:

RND2. Followed by -35, -40, -45, -55, -60 or -65. Followed by -120-277, -347-480. Followed by -27K, -3K, -4K, -5K, -57K, -65K. Followed by BLANK or -HAR, Followed by -60 or -120. Followed by H2 or HS. Followed by -CG, DG or -DLG. Followed by -GRY, -BLK, -WHT or -BRZ. Followed by -PND or -YKE.

LED Surface Mounted Luminaire

RND2. Followed by -35, -40, -45, -55, -60, -65, -5L, -6L, -7L, -8L, -9L or -10L. Followed by -120-277, -347-480, -208-277 or -120. Followed by -27K, -3K, -4K, -5K, -57K, -65K, -RD, -GN, -BU or -AM. Followed by Blank, -HAR or -XXX. Followed by -60, -120, -T1 or -T3. Followed by 25 or HS. Followed by -CG, DG, -DLG, -CP, -DP or -DLP. Followed by -



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number: E494316
Report Reference: E494316-20170717
Issue Date: 2025-DEC-03

GRY, -BLK, -WHT or -BRZ. Followed by -PND, -YKE,-J1, -J2, -J3, -J4, -J5 or -J6.Followed by Blank, -XXXX, -BAA or -BABA.



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

